





EURINE-ACT Study Flowchart

Patient with Adrenal Mass > 1cm



- Clinical data entry into ENSAT ACC or NAPACA databases <https://registry.ensat.org> (create *Patient Record*, click “EURINE-ACT: YES”)
- Collection of Biomaterial (*complete ENS@T registry Biomaterial Form and print labels*)
 - 10 ml of a plain bottle 24-h urine (plus info on collection volume in ml/24h)
 - 10 ml of a morning spot urine
 - 1.0 ml serum
 - 1.5 ml heparin plasma



Adrenocortical Carcinoma (ACC) with apparently complete removal of the primary tumour (consider ADIUVO)

- Clinical data entry into ENSAT ACC <https://registry.ensat.org> (*Follow-up Form*)
- Collection of Biomaterial as per above
 - one postop. sample prior to mitotane
 - every (2-)3 months, to coincide with follow-up imaging



Adrenocortical Adenoma (ACA) with further observation and no surgery

- Clinical data entry into ENSAT NAPACA <https://registry.ensat.org> (*Follow-up Form*)
- Collection of Biomaterial in patients that do not undergo surgery as per above
 - 12 months after the initial work-up
 - optional: at 24 and at 36 months




Current ENSAT EURINE ACT Centres



- Paris (FRPA1+2)
- Brussels (BEBR)
- Rotterdam (NLRO)
- Eindhoven (NLEI)
- Groningen (NLGR)
- Nijmegen (NLNI)
- Würzburg (GYWU)
- Munich (GYMU)
- Dresden (GYDR)
- Berlin (GYBN)
- Turin (ITTU)
- Padova (ITPA)
- Florence (ITFL)
- Rome (ITRO)

Current UK EURINE ACT Centres



- 1 Birmingham (GBBI)
- 2 Oxford (GBOX)
- 3 Cambridge (GBCB)
- 4 London (Hammersmith) (GBLH)
- 5 London (Bart's) (GBLB)
- 6 Leicester (GBLE)
- 7 Manchester (GBMA)
- 8 Sheffield (GBSH)
- 9 Newcastle (GBNE)
- 10 Cardiff (GBCD)
- 11 Glasgow (GBGL)
- 12 Aberdeen (GBAB)